

DrayTek

Vigor2865 Series

VDSL2 35b Dual-WAN VPN Router



Vigor2865 Series is a VDSL2 35b/ADSL2+ Security Firewall router integrating a DSL modem which is compatible with variants of ADSL and VDSL, including profile 35b supervectoring. There is also a Gigabit Ethernet WAN port for broadband connections to share the traffic load or serve as a failover connection.

VDSL2 35b

Up to 6 WAN

32 VPN

60k Sessions



Interface

① Fixed WAN Port	1 x RJ-11 for VDSL2 or ADSL2/2+
② WAN/LAN Switchable Port	1 x 10/100/1000Base-TX, RJ-45 (WAN 2 or LAN Port 6)
③ Fixed LAN Port	5 x 10/100/1000Base-TX, RJ-45
④ USB Port	2 x USB 2.0 or 1 x USB 2.0 (L/5G model)
⑤ VoIP	2 x FXS, RJ-11 (V model)
Wi-Fi Antenna	2 x External Dipole (wireless model)
LTE Antenna	2 x External Dipole (L model)
5G/LTE Antenna	4 x External Dipole (5G model)
SIM Slot	2 x Standard-Sized (1 SIM online at a time) (L/5G model)
Button	1 x Factory Reset 1 x Wireless On/OFF/WPS (wireless model)

Internet Connection

IPv4	PPPoE, PPPoA, DHCP, Static IP, MPoA, PPTP/L2TP
IPv6	PPP, DHCPv6, Static Ipv6, TSPC, AICCU, 6rd, 6in4 Static Tunnel
802.1p/q Multi-VLAN Tagging	•
Multi-VLAN/PVC	•
Failover	•
Load Balancing	IP-based, Session-based
WAN Active on Demand	Link Failure, Traffic Threshold
Connection Detection	ARP, Ping, Strict ARP
WAN Data Budget	•
Dynamic DNS	•
DrayDDNS	•

Networking

Routing	IPv4 Static Route, IPv6 Static Route, BGP, Policy Route, Inter-VLAN Route, RIP v1/v2
Policy-based Routing	Protocol, IP Address, Port, Domain, Country
High Availability	•
DNS Security (DNSSEC)	•
IGMP	IGMP v2/v3, IGMP Proxy, IGMP Snooping & Fast Leave
Local RADIUS server	•
SMB File Sharing	• (Requires external storage)

Firewall & Content Filtering

NAT	Port Redirection, Open Ports, Port Triggering, DMZ Host, UPnP
ALG	SIP, RTSP, FTP, H.323
VPN Pass-Through	PPTP, L2TP, IPsec
IP-based Firewall Policy	•
Content Filtering	APP, URL, DNS Keyword, Web Features, Web Category* (*: subscription required)
DoS Attack Defense	•
Spoofing Defense	•

LAN Management

VLAN	802.1q Tag-based, Port-based
Max. Number of VLAN	16
LAN Subnet	8
DMZ Port	1
DHCP Server	Multiple IP Subnet, Custom DHCP Options, Bind-IP-to-MAC
LAN IP Alias	•
Wired 802.1x Authentication	•
Port Mirroring	•
Local DNS Server	•
Conditional DNS Forwarding	•
Hotspot Web Portal	4
Hotspot Authentication	Click-Through, Social Login, SMS PIN, Voucher PIN, RADIUS, External Portal Server

VDSL/ADSL

VDSL Standards	ITU-T G.993.2 Annex A/B/M/Q ITU-T G.993.5 (Vectoring)
VDSL2 Profile	8a, 8b, 8c, 8d, 12a, 12b, 17a, 30a, 35b
ADSL Standards	ITU-T G.992.1(G.dmt), ITU-T G.992.2 (G.lite) T1.413 Issue 2
Other Standards	ITU-T G.998.4 (Retransmission)
Band Plan	997, 998

Management

Local Service	HTTP, HTTPS, Telnet, SSH v2, FTP, TR-069
Config Backup/Restore	•
Config File Compatibility	Vigor2862
Firmware Upgrade	TFTP, HTTP, TR-069
2-Level Administration Privilege	•
Access Control	Access List, Brute Force Protection
Notification Alert	SMS, E-mail
Netflow	IPFIX, v5, v9
SNMP	v1, v2c, v3
Syslog	•
Managed by VigorACS	•
VPN Management	8
AP Management (APM)	20
Switch Management (SWM)	10

VPN

LAN-to-LAN	•
Teleworker-to-LAN	•
Protocols	PPTP, L2TP, IPsec, L2TP over IPsec, SSL, GRE, IKEv2, IKEv2-EAP, IPsec-XAuth, OpenVPN, Wireguard
Max. VPN Tunnels	32
Max. OpenVPN + SSL VPN	16
User Authentication	Local, RADIUS, LDAP, TACACS+, mOTP
IKE Authentication	Pre-Shared Key, X.509
IPsec Authentication	SHA-1, SHA-256
Encryption	MPPE, AES, DES, 3DES
VPN Trunk (Redundancy)	Load Balancing, Failover
Single-Armed VPN	•
NAT-Traversal (NAT-T)	•
DrayTek VPN Matcher	•

Wireless LAN (Wireless model)

WiFi 6	• (ax model)
Number of SSID	4 per radio band
Security Mode	OWE, WEP, WPA, WPA2, Mixed(WPA+WPA2), WPA3
Authentication	Pre-Shared Key, 802.1x
OFDMA	• (ax model)
WPS	PIN, PBC
WDS	Repeater (5GHz only)
Access Control	Access List, Client Isolation, Hide SSID, Wi-Fi Scheduling
AirTime Fairness	•
Band Steering	•
WMM	•
Mesh (5G Only)	Root

VoIP (V model)

Protocol	SIP, RTP/RTCP, ZRTP
SIP Registrars	12
Dial Plan	Phone Book, Digit Map, Call Barring, Regional
Call Features	Call Waiting, Call Transfer, Scheduled DND, Hotline
Voice Codec	G.711 A/u law, G.723.1, G.726, G.729 A/B
Caller ID	FSK_ETSI, FSK_BELLCORE, DTMF

Bandwidth Management

IP-based Bandwidth Limit	•
IP-based Session Limit	•
QoS (Quality of Service)	TOS, DSCP, 802.1p, IP Address, Port, Application
VoIP Prioritization	•
APP QoS	•

5G/LTE/WCDMA (5G model)

5G Band	n1,3,7,8,20,28,38,40,77,78
5G Max. Data Rate	NR SA: 2.4Gbps (DL) / 900Mbps (UL) NR NSA: 2.8Gbps (DL) / 555Mbps (UL)
LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	Cat19 (DL) / Cat18 (UL)
LTE Max. Data Rate	1.6Gbps (DL) / 200Mbps (UL)
WCDMA (3G) Band	B1,8

LTE (L model)

LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	Cat6
LTE Max. Data Rate	300 Mbps (DL) / 50 Mbps (UL)
WCDMA (3G) Band	B1, 8

For other band availability, please contact your local DrayTek distributor or us.

	WLAN	5G/LTE	LTE	VoIP
Vigor2865				
Vigor2865L			•	
Vigor2865ac/ax	•			
Vigor2865Lac	•		•	
Vigor2865Vac	•			•
Vigor2865L-5G		•		
Vigor2865Lax-5G	•	•		