

## GoDaddy DNS 伺服器增加 SPF/DKIM/DMARC 的 DNS 紀錄

### [說明]

使用 SPF/DKIM/DMARC 這 3 種電子郵件標準可以防範偽造郵件或詐騙郵件，有助於確保你發送的郵件不會被標記為垃圾郵件。

SPF：發送郵件的服務器和網域名稱。

DKIM：為每封外送郵件添加數字簽名，讓接收郵件的主機驗證郵件是否確實來自貴公司的網域。

DMARC：告知接收郵件的主機如何處理來自未通過 SPF 或 DKIM 檢查的郵件。

PS：偽造的郵件看上去像來自於某個網域，而實際上相對應單位的網域是攻擊者偽造的，DKIM 可檢測出郵件遭偽造的情況，以及郵件發信人地址是否來自於某網域。

**[步驟 1]** 使用電腦瀏覽器開啟這個網頁-> <https://tw.godaddy.com/> 登入你的 GoDaddy 帳號與密碼。

**[步驟 2]** 在 GoDaddy 的"網域管理"頁面內,找到你要添加 DKIM 記錄的網域,然後點選 **[Manager]**。

 [redacted].com.tw

Add Privacy

DNS

Manage

[步驟 3] 瀏覽器開啟這個網頁-> <https://easydmarc.com/tools/spf-record-generator>，請依照下面畫面操作。

SPF Record Generator - SPF to... X +

easydmarc.com/tools/spf-record-generator

EASYDMARC Platform Pricing Solutions Blog Company

Home > Platform > SPF Record Generator

SPF Lookup **SPF Generator** SPF Raw Checker

### SPF Record Generator

Use this tool to generate your SPF record.

Domain 2. [redacted].com.tw

mx 3.  Yes  No

a  Yes  No

ip4:\_ e.g. 10.0.0.1/20 192.168.0.10

ip6:\_ e.g. 2001:db8:0:1:1:1:1 2404:6800:4000::/36

a:\_ e.g. example2.com

include:\_ e.g. \_spf.google.com mail.zendesk.com

Policy 5. Fail (Not compliant will be rejected)

6. **Generate**

### Generated results for [redacted].com.tw domain

Publish the following DNS TXT record on [redacted].com.tw domain

#### SPF Record

**VALID SPF**

Record value:

[redacted].com.tw 1 LOOKUP (1 main, 0 nested)

v=spf1 mx -all

1 mx: [redacted].com.tw

[redacted].com.tw → [redacted].86

mail,[redacted].com.tw → [redacted].86

[步驟 4] 新增 SPF 紀錄，請點選 [新增] 按鈕，類型選 TXT，然後依照下面畫面操作。

Type \*  
1. TXT

Host \*  
2. @

TXT Value \*  
3. v=spf1 mx -all

TTL \*  
1 Hour

4. Save Cancel

[步驟 5] 瀏覽器開啟這個網頁-> <https://easydmarc.com/tools/dkim-record-generator> 請依照下面畫面操作。

DKIM Record Generator - DKIM

easydmarc.com/tools/dkim-record-generator

EASYDMARC Platform Pricing Solutions Blog Company

DKIM

Home > Platform > DKIM Record Generator

DKIM Lookup DKIM Generator

DKIM Record Generator

Use this tool to generate your DKIM record

Domain 2. [redacted].com.tw

Selector 3. default

Key Length 1024

4. Generate

Generated results for [redacted].com.tw domain

Publish the following DNS TXT record  
on default.\_domainkey.[redacted] subdomain

DKIM Record	Selector
VALID	default

Record value: [redacted]

拷貝上面資料貼到DKIM的TXT設定值內

[步驟 6] 新增 DKIM 紀錄，請點選 [新增] 按鈕，類型選 TXT，然後依照下面畫面操作。

Type *	Host *	TXT Value *
1. TXT	2. default_domainkey	3. v=DKIM1;t=s;p=MIGfMA0GCSqGS
TTL *	v=DKIM1;t=s;p=MIGfMA0GCSqGSib3DQEBAQUAA4GNADCBiQKBgQCuVRwbN YUmPb5jy+fUXVtbL9UULN/zZLmzmtV0wUvXGcUP0vgccTNwXgVXrqpBRpG tC4gNczr2P4RDYceG+ 9KfWqKOuyg1OhuwKnjR3hwDp9KnCse+JMVYZPK8QW/vKjmfW77fSUKfH1W NP3L1H7nVP+/cNmWLcar1Hknci8QIDAQAB	
1 Hour	4. <input type="button" value="Save"/> <input type="button" value="Cancel"/>	

[步驟 7] 瀏覽器開啟這網頁-> <https://easydmarc.com/tools/dmarc-record-generator> 請依照下面畫面操作。

Free DMARC Record Generator x +

easydmarc.com/tools/dmarc-record-generator

EASYDMARC Platform Pricing New Solutions Blog Company

DMARC Lookup DMARC Generator

### DMARC Record Generator

Use this tool to generate your DMARC record

Domain 2. [redacted].com.tw

Policy type 3.  None (monitoring)  Quarantine  Reject

Reports send to 4. admin@[redacted].com.tw

Subdomain policy -

SPF identifier alignment -

DKIM identifier alignment -

Reporting interval 刪除

Percentage applied to 刪除

Failure reporting send to e.g. example@easydmarc.com

Failure reporting options  0  1  d  s <-取消勾選

5.

### Lookup and check results for [redacted].com.tw domain

#### DMARC Status

VALID DMARC

Record value:

v=DMARC1; p=none; rua=mailto:admin@[redacted].com.tw

[步驟 8] 新增 DMARC 紀錄，請點選 [新增] 按鈕，類型選 TXT，然後依照下面畫面操作。

The screenshot shows a form for adding a new DNS record. The form has four main sections: 'Type', 'Host', 'TXT Value', and 'TTL'. Each section has a red box around it with a number indicating the step. A yellow arrow points from the 'TXT Value' field to the 'TXT Value' label. At the bottom right, there are 'Save' and 'Cancel' buttons, with a red box around the 'Save' button and a number '4' next to it.

Type *	Host *	TXT Value *	TTL *
1. TXT	2. _dmarc	3. v=DMARC1; p=none; rua=ma	1 Hour

v=DMARC1; p=none; rua=mailto:admin@[redacted].com.tw

4. Save Cancel

以上步驟就完成了在 GoDaddy DNS 伺服器增加 SPF/DKIM/DMARC 的 DNS 紀錄了。